

# Luminous sign

## SOLUTIONS FOR PEDESTRIAN CROSSING




**SIBESTAR**<sub>S.r.l.</sub>

# Luminous sign

## SOLUTIONS FOR PEDESTRIAN CROSSING

**SIBESTAR** S.r.l.



### 1) Luminous sign on both sides of the road:

suggested for pedestrian crossing in densely populated areas.


#### Composition:

N. 2 galvanised poles, diam. 102 mm  
height 3.6 metres

N. 2 two sides LED luminous signs,  
60 x 60 cm

#### Improvements:

N. 2 flashing amber signal head  
diam. 200 mm



### 2) Single suspended luminous sign:

suggested for pedestrian crossing in densely and sparsely populated areas

#### Composition:

N. 1 cantilever pole with arm of 4, 5, 6  
and up to 7.5 m

N. 1 two sides luminous sign, 90 x 90 cm  
N. 2 LED lights




#### Improvements:

N. 2 or 4 flashing amber signal heads  
diam 200 mm



# Luminous sign

## SOLUTIONS FOR PEDESTRIAN CROSSING



**SIBESTAR** S.r.l.

3) Double suspended luminous sign:

suggested for extra-urban high speed roads.

Composition:

- N. 1 cantilever pole whit arm of 4, 5, 6 and up to 7.5 m
- N. 1 two sides luminous sign, 90 x 90 cm
- N. 4 LED lights

Improvements:

- N. 2 or 4 flashing amber signal heads diam 200 mm.
- N. 2 LED 60 x 60 cm luminous signs on the side of poles